

GasBlock ALU Terminator



PRODUCT DESCRIPTION

Provides an effective gas and watertight seal of a MicroDuct pathway and a cable (not possible to install over already installed cable without an end). Easy to mount on MicroDucts from 5 to 20 mm (outer diameter) and reusable 5 times.

APPLICATION AREA

For use where water and/or gas pose a risk, e.g., an underground hand, manhole, or inside of a building.

MAIN CHARACTERISTICS

Material

Body: Corrosion-resistant Aluminium

Seal: Thermoplastic Rubber (TPV)

Temperature

Installation: -40 °C to +70 °C

Operational: -40 °C to +70 °C

Pressure

Gas/water tightness: 10 bar

Others

UV resistant: No

Operational lifetime: 25+ years

Fire classification: A2 s1 d1

Impact resistance: 5 joule

Standards

General: EN50411-2-8

Fire classification: EN 13501-1

TECHNICAL DATA SHEET: ACCESSORIES

PRODUCT VARIATIONS

Material Description	Length (mm)	Diameter	Packaging volume (pcs)	SAP code
GasBlock ALU Terminator 5mm for cable 0,9 - 1,5mm	8	15.5	100	20020236
GasBlock ALU Terminator 5mm for cable 1,4 - 2,0mm	8	15.5	100	20020454
GasBlock ALU Terminator 5mm for cable 1,9 - 2,5mm	8	15.5	100	20020455
GasBlock ALU Terminator 5mm for cable 2,4 - 3,0mm	8	15.5	100	20020456
GasBlock ALU Terminator 7mm for cable 1,0 - 1,6mm	10	19	100	20030457
GasBlock ALU Terminator 7mm for cable 1,5 - 2,1mm	10	19	100	20030458
GasBlock ALU Terminator 7mm for cable 2,0 - 2,6mm	10	19	100	20030237
GasBlock ALU Terminator 7mm for cable 2,5 - 3,1mm	10	19	100	20020459
GasBlock ALU Terminator 7mm for cable 3,0 - 3,6mm	10	19	100	20020460
GasBlock ALU Terminator 7mm for cable 3,5 - 4,1mm	10	19	100	20020461
GasBlock ALU Terminator 10mm for cable 2,0 - 3,0mm	26	14	50	20020462
GasBlock ALU Terminator 10mm for cable 2,9 - 3,9mm	26	14	50	20020463
GasBlock ALU Terminator 10mm for cable 3,8 - 4,8mm	26	14	50	20020464
GasBlock ALU Terminator 10mm for cable 4,7 - 5,7mm	26	14	50	20020465
GasBlock ALU Terminator 10mm for cable 5,6 - 6,6mm	26	14	50	20020238
GasBlock ALU Terminator 12mm for cable 2,0 - 3,0mm	32	17	50	20020466
GasBlock ALU Terminator 12mm for cable 2,9 - 3,9mm	32	17	50	20020467
GasBlock ALU Terminator 12mm for cable 3,8 - 4,8mm	32	17	50	20020468
GasBlock ALU Terminator 12mm for cable 4,7 - 5,7mm	32	17	50	20020469
GasBlock ALU Terminator 12mm for cable 5,6 - 6,6mm	32	17	50	20020239
GasBlock ALU Terminator 12mm for cable 6,5 - 7,5mm	32	17	50	20020470
GasBlock ALU Terminator 14mm for cable 6,0 - 7,0mm	38	19	50	20020471

TECHNICAL DATA SHEET: ACCESSORIES

PRODUCT VARIATIONS

Material Description	Length (mm)	Diameter	Packaging volume (pcs)	SAP code
GasBlock ALU Terminator 14mm for cable 6,9 - 7,9mm	38	19	50	20020472
GasBlock ALU Terminator 14mm for cable 7,8 - 8,8mm	38	19	50	20020240
GasBlock ALU Terminator 14mm for cable 8,7 - 9,7mm	38	19	50	20020473
GasBlock ALU Terminator 16mm for cable 8,0 - 9,0mm	42	22	20	20020474
GasBlock ALU Terminator 16mm for cable 8,9 - 9,9mm	42	22	20	20020475
GasBlock ALU Terminator 16mm for cable 9,8 - 11,0mm	42	22	20	20020241
GasBlock ALU Terminator 20mm for cable 4,5 - 5,5mm	52	26	20	20020480
GasBlock ALU Terminator 20mm for cable 7,5 - 8,5mm	52	26	20	20020242
GasBlock ALU Terminator 20mm for cable 8,0 - 9,0mm	52	26	20	20020476
GasBlock ALU Terminator 20mm for cable 8,9 - 9,9mm	52	26	20	20020477
GasBlock ALU Terminator 20mm for cable 9,8 - 11,0mm	52	26	20	20020478
GasBlock ALU Terminator 20mm for cable 11,0 - 12,0mm	52	26	20	20020479